

Amendment "A"

Amendments to the claims

Please amend claims 1 and 15 as indicated below.

Please add claims 21-27 as indicated below.

Sub B
6
7
Claim 1. (currently amended) A mobile phone handset, comprising:

8 a ~~connector~~ multi-purpose connection adaptor configured to connect said
9 mobile phone handset to at least one of a plain ordinary telephone line, a local area
10 network and one or more computing devices.

11
12 Claim 2. (original) The mobile phone handset according to claim 1, further
13 comprising:

14 a network controller configured to allow said mobile phone handset to
15 communicate with said local area network.

16
17 Claim 3. (original) The mobile phone handset according to claim 2, further
18 comprising:

19 a processor control subsection configured to control operations of said mobile
20 phone handset; and

21 a line detector configured to send said processor control subsection a local
22 area network present signal if said connector is connected to said local area
23 network.
24
25

(Continued on next page.)

1 Claim 4. (original) The mobile phone handset according to claim 3, wherein:

2 said processor control subsection is configured to allow a user of said mobile
3 phone handset to access said local area network through a user interface of said
4 mobile phone handset.

5
6 Claim 5. (original) The mobile phone handset according to claim 1, further
7 comprising:

8 a network controller configured to allow said mobile phone handset to
9 communicate with said one or more computing devices, each of said one or more
10 computing devices having a device network controller configured to communicate
11 with said network controller using a network communication protocol.

12
13
14 Claim 6. (original) The mobile phone handset according to claim 5, further
15 comprising:

16 a processor control subsection configured to control operations of said mobile
17 phone handset; and

18 a line detector configured to send said processor control subsection a local
19 area network present signal if said connector is connected to said one or more
20 computing devices.

21
22
23
24
25 (Continued on next page.)

1 Claim 7. (original) The mobile phone handset according to claim 6, wherein:

2 said processor control subsection is configured to allow a user of said mobile
3 phone handset to access a wide area network through a user interface of said one or
4 more computing devices if said connector is connected to said one or more
5 computing devices.

6
7
8 Claim 8. (original) The mobile phone handset according to claim 1, further
9 comprising:

10 a plain ordinary telephone transmitter receiver circuitry configured to send and
11 receive telephone call signals to and from said plain ordinary telephone line.

12
13 Claim 9. (original) The mobile phone handset according to claim 8, further
14 comprising:

15 a processor control subsection configured to control operations of said mobile
16 phone handset; and

17 a line detector configured to send said processor control subsection a plain
18 ordinary telephone line present signal if said connector is connected to said plain
19 ordinary telephone line.
20

21
22
23
24
25 (Continued on next page.)

1 Claim 10. (original) The mobile phone handset according to claim 9, wherein:

2 said processor control subsection is configured to, upon receiving said plain
3 ordinary telephone line present signal, allow a user of said mobile phone handset to
4 place a call through said plain ordinary telephone line.

5
6 Claim 11. (original) The mobile phone handset according to claim 10, further
7 comprising:

8 a memory having stored therein a telephone number directory; and

9 a user interface having a display screen configured to display one or more
10 records of said telephone number directory;

11 wherein said processor control subsection configured to allow said user of
12 said mobile phone handset to dial a called party corresponding to said displayed one
13 or more record without manually entering a telephone number of said called party.

14
15
16 Claim 12. (original) The mobile phone handset according to claim 9, wherein:

17 said processor control subsection is configured to allow a user of said mobile
18 phone handset to receive a call through said plain ordinary telephone line, and to
19 display a caller identification information said user.

20
21
22
23
24
25 (Continued on next page.)

1 Claim 13. (original) The mobile phone handset according to claim 1, further
2 comprising:

3 a modem configured to communicate with said one or more computing device
4 through said plain ordinary telephone line; and

5 a line detector configured to send said processor control subsection a plain
6 ordinary telephone line present signal if said connector is connected to said one or
7 more computing device.
8

9
10 Claim 14. (original) The mobile phone handset according to claim 13, wherein:

11 said processor control subsection is configured to allow a user of said mobile
12 phone handset to access a wide area network through a user interface of said one or
13 more computing devices if said connector is connected to said one or more
14 computing devices.
15

16 Claim 15. (currently amended) A method of mobile communication, comprising:

17 providing a mobile phone handset having a ~~connector~~ multi-purpose
18 connection adaptor configured to connect said mobile phone handset to at least one
19 of a plain ordinary telephone line, a local area network and one or more computing
20 devices; and
21

22 allowing a user to operate said mobile phone handset utilizing at least one of
23 connected ones of said at least one of a plain ordinary telephone line, a local area
24 network and one or more computing devices.
25

(Continued on next page.)

1 Claim 16. (original) The method of mobile communication in accordance with claim
2 15, further comprising:

3 detecting whether said connector is connected to said local area network; and
4 allowing said user to access said local area network through a user interface
5 of said mobile phone handset if said connector is connected to said local area
6 network.

7
8
9 Claim 17. (original) The method of mobile communication in accordance with claim
10 16, further comprising:

11 detecting whether said connector is connected to said one or more computing
12 devices; and

13 allowing said user to access a wide area network through a user interface of
14 said one or more computing devices if said connector is connected to said one or
15 more computing devices.

16
17 Claim 18. (original) The method of mobile communication in accordance with claim
18 17, further comprising:

19 detecting whether said connector is connected to said plain ordinary
20 telephone line; and

21 allowing said user to place a call through said plain ordinary telephone line if
22 said connector is connected to said plain ordinary telephone line.
23

24
25 (Continued on next page.)

1 Claim 19. (original) The method of mobile communication in accordance with claim
2 18, further comprising:

3 providing a memory configured to store a telephone number directory;
4 providing a user interface having a display screen configured to display one or
5 more records of said telephone number directory; and
6 allowing said user to dial a called party corresponding to said displayed one or
7 more record without manually entering a telephone number of said called party.

8
9
10 Claim 20. (original) The method of mobile communication in accordance with claim
11 17, further comprising:

12 allowing said user to receive a call through said plain ordinary telephone line;
13 and
14 displaying a caller identification information to said user.

15
16 Claim 21. (new) A mobile phone handset, comprising:

17 a multi-purpose connection adaptor, wherein the multipurpose connection
18 adaptor is configured to connect the mobile phone handset to a plain ordinary
19 telephone line, and wherein the multipurpose connection adaptor is configured to
20 connect the mobile phone handset to a local area network.
21

22
23
24
25 (Continued on next page.)

1 Claim 22. (new) The mobile phone handset according to claim 21, wherein:

2 the multipurpose connection adaptor is configured to connect the mobile
3 phone handset to one or more computing devices.
4

5 Claim 23. (new) The mobile phone handset according to claim 21, wherein:

6 the multipurpose connection adaptor includes a line
7 detector/modem/crossover unit which in operation detects signals received.
8

9
10 Claim 24. (new) A mobile phone handset, comprising:

11 a multi-purpose connection adaptor, wherein the multipurpose connection
12 adaptor is configured to connect the mobile phone handset to a plain ordinary
13 telephone line, and wherein the multipurpose connection adaptor is configured to
14 connect the mobile phone handset to one or more computing devices.
15

16 Claim 25. (new) The mobile phone handset according to claim 24, wherein:

17 the multipurpose connection adaptor includes a line
18 detector/modem/crossover unit which in operation detects signals received.
19

20
21 Claim 26. (new) A mobile phone handset, comprising:

22 a multi-purpose connection adaptor, wherein the multipurpose connection
23 adaptor is configured to connect the mobile phone handset to a local area network,
24 and wherein the multipurpose connection adaptor is configured to connect the
25 mobile phone handset to one or more computing devices.

(Continued on next page.)

1 Claim 27. (new) The mobile phone handset according to claim 26, wherein:

2 the multipurpose connection adaptor includes a line
3 detector/modem/crossover unit which in operation detects signals received.
4

5
6 (End of Amendment "A".)
7
8
9
10
11
12
13

14 (Continued on next page.)
15
16
17
18
19
20
21
22
23
24
25